


Exercise 4 (Modules 5.10 – 5.13)

Web/CD Activity 5E *Membrane Structure*
 Web/CD Activity 5F *Signal Transduction*
 Web/CD Activity 5G *Selective Permeability of Membranes*
 Web/CD Thinking as a Scientist *How Do Cells Communicate with Each Other?*

Review fluid mosaic membrane structure by coloring and labeling this diagram. It is a composite based on the figures in Modules 5.12 and 5.13. Label the items in **boldface** type: Start with the **cytoplasm**, **extracellular fluid**, and a **fiber of the extracellular matrix**. In the membrane, color **phospholipids** gray, protein molecules purple, **carbohydrate I.D. tags** on **glycoprotein** and **glycolipid** molecules green, and **cholesterol** molecules yellow. Also show the functions of certain proteins by labeling them **enzyme**, **receptor protein**, and **transport protein**.

**Exercise 5 (Modules 5.14 – 5.20)**

Web/CD Activity 5H *Diffusion*
 Web/CD Activity 5I *Facilitated Diffusion*
 Web/CD Activity 5J *Osmosis and Water Balance in Cells*
 Web/CD Activity 5K *Active Transport*
 Web/CD Activity 5L *Exocytosis and Endocytosis*
 Web/CD Thinking as a Scientist *How Does Osmosis Affect Cells?*

Review diffusion and the function of cell membranes by matching each of the phrases on the right with the appropriate mechanisms from the list on the left. Two questions require more than one answer.

- | | | |
|----------------------------------|-------|--|
| A. Diffusion | _____ | 1. Diffusion across a biological membrane |
| B. Active transport | _____ | 2. Moves solutes against concentration gradient' |
| C. Osmosis | _____ | 3. Any spread of molecules from area of higher concentration to area of lower concentration |
| D. Phagocytosis | _____ | 4. Diffusion with the help of a transport protein |
| E. Passive transport | _____ | 5. Three types of endocytosis |
| F. Facilitated diffusion | _____ | 6. Engulfing of fluid in membrane vesicles |
| G. Pinocytosis | _____ | 7. Diffusion of water across selectively permeable membrane, from hypotonic to hypertonic solution |
| H. Receptor-mediated endocytosis | _____ | 8. Transport molecules need ATP to function |
| I. Exocytosis | _____ | 9. Enables cell to engulf bulk quantities of specific large molecules |
| | _____ | 10. How oxygen and carbon dioxide enter and leave cells |
| | _____ | 11. Two types of passive transport |
| | _____ | 12. Engulfing of particle in membrane vesicle |
| | _____ | 13. Fusion of membrane-bound vesicle with membrane, and dumping of contents outside cell |
| | _____ | 14. How a cell might capture a bacterium |
| | _____ | 15. Helped by aquaporins |

Exercise 6 (Modules 5.15 – 5.16)

Web/CD Activity 51 Facilitated Diffusion

Osmosis is an important process that has many effects on living things. Test your understanding of osmosis by predicting in each of the following cases whether water will enter the cell (*In*) or leave the cell (*Out*), or whether there will be no net movement of water (*None*). Assume that the plasma membrane is permeable to water but not solutes.

- _____ 1. Cell is exposed to hypertonic solution.
- _____ 2. Cell is placed in salt solution whose concentration is greater than cell contents.
- _____ 3. Due to disease, solute concentration of body fluid outside cell is less than solute concentration of cells.
- _____ 4. Cell is in isotonic solution.
- _____ 5. Single-celled organism is placed in drop of pure water for examination under microscope.
- _____ 6. Cell is immersed in solution of sucrose and glucose whose individual concentrations are less than concentration of solutes in cytoplasm, but whose combined concentration is greater than concentration of solutes in cytoplasm.
- _____ 7. Solute concentration of cell is greater than solute concentration of surrounding fluid.
- _____ 8. Cell is exposed to hypotonic solution.
- _____ 9. Concentration of solutes in cytoplasm is equal to solute concentration of extracellular fluid.
- _____ 10. Cytoplasm more dilute than surrounding solution.

Exercise 7 (Modules 5.10 – 5.20)

- Web/CD Activity 5E *Membrane Structure*
 Web/CD Activity 5F *Signal Transduction*
 Web/CD Activity 5G *Selective Permeability of Membranes*
 Web/CD Activity 5H *Diffusion*
 Web/CD Activity 5I *Facilitated Diffusion*
 Web/CD Activity 5J *Osmosis and Water Balance in Cells*
 Web/CD Activity 5K *Active Transport*
 Web/CD Activity 5L *Exocytosis and Endocytosis*
 Web/CD Thinking as a Scientist *How Do Cells Communicate with Each Other?*
 Web/CD Thinking as a Scientist *How Does Osmosis Affect Cells?*

Try to picture membranes and their functions close up by completing the following story.

Your first mission as a Bionaut requires you to enter a blood vessel and observe the structure and functions of cell membranes. You step into the water-filled chamber of the Microtron, which quickly shrinks you to a size much smaller than a red blood cell.

You tumble through the tunnel-like needle and into a blood vessel in the arm of a volunteer. Huge, rubbery red blood cells slowly glide past. Floating in the clear, yellowish blood plasma, you switch on your headlamp and examine the epithelial cells of the vessel wall. Their plasma membranes seem made of millions of small balloons. These are the polar “heads” of the ¹ _____ molecules that make up most of the membrane surface. Through the transparent surface, you can see their flexible, ² _____ tails projecting inward toward the interior of the membrane, and beyond them an inner layer of ³ _____ molecules with their tails pointing toward you. Here and there there are globular ⁴ _____ molecules embedded in the membrane; some rest lightly on the surface, but most project all the way into the interior of the cell. The membrane is indeed a ⁵ _____ mosaic; the proteins are embedded like the pieces of a picture, but you can see that they are free to move around. You push on one of the proteins, and it bobs like an iceberg. Some of the phospholipids and proteins have chains of sugar molecules attached to them, forming ⁶ _____ and ⁷ _____. These are the molecules that act as cell ⁸ _____ tags. You notice that one of the proteins has a dimple in its surface. Just then a small, round molecule floating in the plasma nestles in the dimple. The molecule is a hormone, a chemical signal, and the dimpled protein is the ⁹ _____ that enables the cell to respond to it.

In your light beam, you can see the sparkle and shimmer of many molecules, large and small, in the blood and passing through the cell membrane. Oxygen is moving from the plasma, where it is more concentrated, to the cell interior, where it is less concentrated. This movement is ¹⁰ _____; when it occurs through a biological membrane, it is called ¹¹ _____ transport. Similarly, carbon dioxide is flowing out of the cell, down its ¹² _____ gradient, from the cell interior, where it is ¹³ _____ concentrated, to the blood, where it is ¹⁴ _____ concentrated.

You note that water molecules are passing through the membrane equally in both directions. The total concentration of solutes in the cell and in the blood must be

equal; the solutions must be ¹⁵ _____. You signal the control team to inject a small amount of concentrated salt solution into the blood, making the blood slightly ¹⁶ _____ relative to the cell contents. This causes water to flow ¹⁷ _____ the cell, until the two solutions are again in equilibrium. This diffusion of water through a ¹⁸ _____ permeable membrane is called ¹⁹ _____.

Some sugar molecules floating in the blood are simply too large and polar to pass easily through the plasma membrane. The sugar molecules simply bounce off, unless they happen to pass through pores in special ²⁰ _____ proteins. This is a type of passive transport, because the molecules move down a concentration gradient without the expenditure of ²¹ _____. Because transport proteins help out, it is called ²² _____ diffusion.

Your chemscanner detects a high concentration of potassium ions inside the cell. Transport proteins here and there in the membrane are able to move potassium into the cell against the concentration gradient. This must be ²³ _____ transport; the cell expends ²⁴ _____ to provide energy to "pump" the potassium into the cell.

Suddenly there is a tug at your foot. You look down to see your flipper engulfed by a rippling membrane. A white blood cell the size of a building quickly pins you against the vessel wall. The phospholipids of its membrane are pressed against your face mask. The cell is engulfing you, protecting the body from a foreign invader! Taking in a substance in this way is called ²⁵ _____, more specifically ²⁶ _____, if the substance is a solid particle. Suddenly the pressure diminishes, and you are inside the white blood cell, floating free in a membrane-enclosed bag, or ²⁷ _____. Another sac is approaching; it is a ²⁸ _____, full of digestive enzymes. You manage to get your legs outside of the vacuole and move it back toward the inner surface of the cell membrane. As the vacuole fuses with the membrane, you tear your feet free and swim away from the voracious cell, realizing that ²⁹ _____ expelled you almost as fast as endocytosis trapped you!

You swim to the exit point, and the control team removes you by syringe. You are soon back in the lab, restored to normal size, and telling your colleagues about your close call.

Testing Your Knowledge

Multiple Choice

- The movement of molecules from an area of higher concentration to an area of lower concentration is called
 - diffusion.
 - endocytosis.
 - catalysis.
 - active transport.
 - osmosis.
- Which of the following is *not* true of an enzyme? An enzyme
 - is a protein.
 - acts as a biological catalyst.
 - supplies energy to start a chemical reaction.
 - is specific.
 - lowers the energy barrier for a chemical reaction.
- Phospholipid molecules in a membrane are arranged with their ___ on the exterior and their ___ on the interior.
 - hydrophobic heads . . . hydrophilic tails
 - hydrophilic heads . . . hydrophobic tails
 - nonpolar heads . . . polar tails
 - hydrophobic tails . . . hydrophilic heads
 - hydrophilic tails . . . hydrophobic heads
- In osmosis, water always moves toward the ___ solution, that is, toward the solution with the ___ solute concentration.
 - isotonic . . . greater
 - hypertonic . . . greater
 - hypertonic . . . lesser
 - hypotonic . . . greater
 - hypotonic . . . lesser
- Which of the following enables a cell to pick up and concentrate a specific kind of molecule?
 - passive transport
 - diffusion
 - osmosis
 - receptor-mediated endocytosis
 - pinocytosis
- A cell uses energy released by ___ reactions to drive the ___ reaction that makes ATP. Then it uses the energy released by the hydrolysis of ATP, an ___ reaction, to do various kinds of work in the cell.
 - exergonic . . . exergonic . . . endergonic
 - endergonic . . . exergonic . . . endergonic
 - exergonic . . . endergonic . . . exergonic
 - endergonic . . . endergonic . . . exergonic
 - exergonic . . . endergonic . . . endergonic
- Energy of activation
 - is released when a large molecule breaks up.
 - gets a reaction going.
 - is released by an exergonic reaction.
 - is stored in an endergonic reaction.
 - is supplied by an enzyme.
- The laws of thermodynamics state that whenever energy changes occur, ___ always increases.
 - disorder
 - order
 - kinetic energy
 - potential energy
 - energy of activation
- Living things transform kinetic energy into potential chemical energy in the ___, when ___ is made.
 - mitochondrion . . . ADP
 - chloroplast . . . ADP
 - chloroplast . . . an enzyme
 - mitochondrion . . . glucose
 - chloroplast . . . glucose
- Why does heating interfere with the activity of an enzyme?
 - It kills the enzyme.
 - It changes the enzyme's shape.
 - It increases the energy of substrate molecules.
 - It causes the enzyme to break up.
 - It kills the cell, so enzymes can't work.
- An enzyme is specific. This means
 - it has a certain amino acid sequence.
 - it is found only in a certain place.
 - it functions only under certain environmental conditions.
 - it speeds up a particular chemical reaction.
 - it occurs in only one type of cell.
- Diffusion of water across a selectively permeable membrane is called
 - active transport.
 - osmosis.
 - exocytosis.
 - passive transport.
 - facilitated diffusion.

Essay

- Describe the kinds of molecules that cannot easily diffuse through cell membranes. How do proteins facilitate diffusion of these substances?
 - Make a sketch showing why an enzyme acts only on a specific substrate.
 - Most enzyme-catalyzed chemical reactions in humans occur most readily around body temperature, 37°C. Why do these reactions slow down at lower temperatures? Why do they slow down at higher temperatures?
 - Which contains more potential energy, a large, complex molecule like a protein, or the smaller amino acid subunits of which it is composed? Is the joining of amino acids to form a protein an exergonic or endergonic reaction? Why must this be the case? Where does the cell obtain energy to carry out such reactions?
 - Describe the circumstances under which plant and animal cells gain and lose water by osmosis. Which of the following is the least serious problem: water gain by a plant cell, water loss by a plant cell, water gain by an animal cell, or water loss by an animal cell? Why?
 - save the cell energy by substituting for the substrate.
 - slow metabolism by blocking the enzyme's active site.
- A plant cell is placed in a solution whose solute concentration is twice as great as the concentration of the cell cytoplasm. The cell membrane is selectively permeable, allowing water but not the solutes to pass through. What will happen to the cell?
 - No change will occur because it is a plant cell.
 - The cell will shrivel because of osmosis.
 - The cell will swell because of osmosis.
 - The cell will shrivel because of active transport of water.
 - The cell will swell because of active transport of water.
 - A white blood cell is capable of producing and releasing thousands of antibody molecules every second. Antibodies are large, complex protein molecules. How would you expect them to leave the cell?
 - active transport
 - exocytosis
 - receptor-mediated endocytosis
 - passive transport
 - pinocytosis
 - Which of the following would be *least* likely to diffuse through a cell membrane without the help of a transport protein?
 - a large polar molecule
 - a large nonpolar molecule
 - a small polar molecule
 - a small nonpolar molecule
 - Any of the above would easily diffuse through the membrane.
 - Red blood cells shrivel when placed in a 10% sucrose solution. When first placed in the solution, the solute concentration of the cells is _____ the concentration of the sucrose solution. After the cells shrivel, their solute concentration is _____ the concentration of the sucrose solution.
 - less than . . . greater than
 - greater than . . . less than
 - equal to . . . equal to
 - less than . . . equal to
 - greater than . . . equal to

Applying Your Knowledge

Multiple Choice

- If a cell is like a factory, then enzymes are like
 - the plans for the factory.
 - the machines in the factory.
 - the power plant for the factory.
 - the raw materials used by the factory.
 - the walls of the factory.
- A molecule that has the same shape as the substrate of an enzyme would tend to
 - speed metabolism by guiding the enzyme to its substrate.
 - speed metabolism by acting as a cofactor for the enzyme.
 - speed metabolism because it would also be a catalyst.

7. A nursing infant is able to obtain disease-fighting antibodies, which are large protein molecules, from its mother's milk. These molecules probably enter the cells lining the baby's digestive tract via
 - a. osmosis.
 - b. passive transport.
 - c. exocytosis.
 - d. active transport.
 - e. endocytosis.
8. Some enzymes involved in the hydrolysis of ATP cannot function without the help of sodium ions. Sodium in this case functions as
 - a. a substrate.
 - b. a cofactor.
 - c. an active site.
 - d. a noncompetitive inhibitor.
 - e. a vitamin.
9. The relationship between an enzyme's active site and its substrate is most like which of the following?
 - a. a battery and a flashlight
 - b. a car and a driver
 - c. a key and a lock
 - d. a glove and a hand
 - e. a hammer and a nail
10. In which of the following do both examples illustrate kinetic energy?
 - a. positions of electrons in an atom—a ball rolling down a hill
 - b. heat—arrangement of atoms in a molecule
 - c. a rock resting on the edge of a cliff—heat
 - d. a ball rolling down a hill—heat
 - e. light—arrangement of atoms in a molecule
11. Which of the following is a difference between active transport (AT) and facilitated diffusion (FD)?
 - a. AT involves transport proteins, and FD does not.
 - b. FD can move solutes against a concentration gradient, and AT cannot.
 - c. FD requires energy from ATP, and AT does not.
 - d. FD involves transport proteins, and AT does not.
 - e. AT requires energy from ATP, and FD does not.
12. An enzyme and a membrane receptor molecule are similar in that they
 - a. are always attached to membranes.
 - b. act as catalysts.
 - c. require ATP to function.
 - d. supply energy for the cell.
 - e. bind to molecules of a particular shape.

Essay

1. The burning of glucose molecules in paper is an exergonic reaction, which releases heat and light. If this reaction is exergonic, why doesn't the book in your hands spontaneously burst into flame? You could start the reaction if you touched this page with a burning match. What is the role of the energy supplied by the match?
2. Seawater is hypertonic in comparison to body tissues. Explain what would happen to his stomach cells if a shipwrecked sailor drank seawater.
3. The laws of thermodynamics have imaginatively been described as the house rules of a cosmic energy card game: "You can't win, you can't break even (and to stay alive, you can't get out of the game)." State the law that says living things can't win the energy game. State the law that says they can't break even.
4. A farm worker accidentally was splashed with a powerful insecticide. A few minutes later he went into convulsions, stopped breathing, and died. The insecticide acted as a competitive inhibitor of an enzyme important in the function of the nervous system. Describe the structural relationship between the enzyme, its substrate, and the insecticide.
5. Lecithin is a substance used in foods such as mayonnaise as an emulsifier, which means that it helps oil and water mix. Lecithin is a phospholipid; a lecithin molecule has a polar "head" and a nonpolar "tail." How might the structure of lecithin allow water to surround fat droplets? Sketch a microscopic view of some fat droplets in mayonnaise, and show how you think the fat, surrounding water, and lecithin molecules might be arranged.