## **MATH HANDBOOK TRANSPARENCY MASTER**

# **Scientific Notation**

Use with Appendix B, **Scientific Notation** 

Scientists need to express small measurements, such as the mass of the proton at the center of a hydrogen atom (0.000 000 000 000 000 000 000 001 673 kg), and large measurements, such as the temperature at the center of the Sun (15 000 000 K). To do this conveniently, they express the numerical values of small and large measurements in scientific notation, which has two parts.

A number in which only one digit is placed to the left of the decimal

→ N × 10<sup>n</sup> ≺

An exponent of 10 by which the number is multiplied

Thus, the temperature of the Sun, 15 million kelvins, is written as  $1.5 \times 10^7$  K in scientific notation.

**Positive Exponents** Express 1234.56 in scientific notation.

1234.56

Each time the decimal place is

moved one place to the

left.

 $1234.56 \times 10^0 = 123.456 \times 10^1$ 

 $123.456 \times 10^1 = 12.3456 \times 10^2$ 

 $12.3456 \times 10^2 = 1.23456 \times 10^3$ 

 $1.23456 \times 10^{3}$ 

the

exponent is increased by

one.

**Negative Exponents** Express 0.006 57 in scientific notation.

0.006 57

Each time the decimal place is

moved one place to the

right,

 $0.006 \ 57 \times 10^0 = 0.0657 \times 10^{-1}$ 

 $0.0657 \times 10^{-1} = 0.657 \times 10^{-2}$ 

 $0.657 \times 10^{-2} = 6.57 \times 10^{-3}$ 

 $6.57 \times 10^{-3}$ 

the

exponent is decreased

by one.

### **MATH HANDBOOK TRANSPARENCY WORKSHEET**

# **Scientific Notation**

Use with Appendix B, **Scientific Notation** 

- **1.** Express each of the following numbers in scientific notation.
  - **a.** 230
  - **b.** 5601
  - **c.** 14 100 000
  - **d.** 56 million
  - **e.** 2/10
  - **f.** 0.450 13
  - **g.** 0.089
  - **h.** 0.000 26
  - **i.** 0.000 000 698
  - **j.** 12 thousandth
- **2.** Express each of the following measurements in scientific notation.
  - a. speed of light in a vacuum, 299 792 458 m/s
  - **b.** number of seconds in a day, 86 400 s
  - c. mean radius of Earth, 6378 km
  - **d.** density of oxygen gas at 0°C and pressure of 101 kPa, 0.001 42 g/mL
  - **e.** radius of an argon atom, 0.000 000 000 098 m

# **SCIENTIFIC NOTATION**

Name \_\_\_\_\_55

Scientists very often deal with very small and very large numbers, which can lead to a front confusion when counting zeros! We have learned to express these numbers as powers of 10.

Scientific notation takes the form of M x  $10^n$  where  $1 \le M < 10$  and "n" represents the number of decimal places to be moved. Positive n indicates the standard form is a large number. Negative n indicates a number between zero and one.

**Example 1:** Convert 1,500,000 to scientific notation. We move the decimal point so that there is only one digit to its left, a total of 6 places.

$$1,500,000 = 1.5 \times 10^6$$

**Example 2:** Convert 0.000025 to scientific notation. For this, we move the decimal point 5 places to the right.

$$0.000025 = 2.5 \times 10^{-5}$$

(Note that when a number starts out less than one, the exponent is always negative.)

Convert the following to scientific notation.

Convert the following to standard notation.

1. 
$$1.5 \times 10^3 =$$

2. 
$$1.5 \times 10^{-3} =$$
\_\_\_\_\_\_

3. 
$$3.75 \times 10^{-2} =$$

4. 
$$3.75 \times 10^2 =$$

5. 
$$2.2 \times 10^5 =$$

6. 
$$3.35 \times 10^{-1} =$$

7. 
$$1.2 \times 10^{-4} =$$

8. 
$$1 \times 10^4 =$$

9. 
$$1 \times 10^{-1} =$$

10. 
$$4 \times 10^{\circ} =$$

## MATH HANDBOOK TRANSPARENCY MASTER

2

# Operations with Scientific Notation

Use with Appendix B, Operations with Scientific Notation

#### **Addition and Subtraction**

Before numbers in scientific notation can be added or subtracted, the exponents must be equal.

Not equal 
$$\longrightarrow$$
 Equal  $\longrightarrow$  (3.4 × 10<sup>2</sup>) + (4.57 × 10<sup>3</sup>) = (0.34 × 10<sup>3</sup>) + (4.57 × 10<sup>3</sup>)

The decimal is moved to the left to increase the exponent.

= (0.34 + 4.57) × 10<sup>3</sup>

= 4.91 × 10<sup>3</sup>

### Multiplication

When numbers in scientific notation are multiplied, only the number is multiplied. The exponents are added.

$$(2.00 \times 10^{3})(4.00 \times 10^{4}) = (2.00)(4.00) \times 10^{3+4}$$

$$= 8.00 \times 10^{7}$$

#### Division

When numbers in scientific notation are divided, only the number is divided. The exponents are subtracted.

$$\frac{9.60 \times 10^{7}}{1.60 \times 10^{4}} = \frac{9.60}{1.60} \times 10^{7-4}$$

$$= 6.00 \times 10^{3}$$

# **58**

# MATH HANDBOOK TRANSPARENCY WORKSHEET

2

# **Operations with Scientific Notation**

Use with Appendix B, Operations with Scientific Notation

**1.** Perform the following operations and express the answers in scientific notation.

**a.** 
$$(1.2 \times 10^5) + (5.35 \times 10^6)$$

**b.** 
$$(6.91 \times 10^{-2}) + (2.4 \times 10^{-3})$$

**c.** 
$$(9.70 \times 10^6) + (8.3 \times 10^5)$$

**d.** 
$$(3.67 \times 10^2) - (1.6 \times 10^1)$$

**e.** 
$$(8.41 \times 10^{-5}) - (7.9 \times 10^{-6})$$

**f.** 
$$(1.33 \times 10^5) - (4.9 \times 10^4)$$

**2.** Perform the following operations and express the answers in scientific notation.

a. 
$$(4.3 \times 10^8) \times (2.0 \times 10^6)$$

**b.** 
$$(6.0 \times 10^3) \times (1.5 \times 10^{-2})$$

c. 
$$(1.5 \times 10^{-2}) \times (8.0 \times 10^{-1})$$

**d.** 
$$\frac{7.8 \times 10^3}{1.2 \times 10^4}$$

e. 
$$\frac{8.1 \times 10^{-2}}{9.0 \times 10^2}$$

**f.** 
$$\frac{6.48 \times 10^5}{(2.4 \times 10^4)(1.8 \times 10^{-2})}$$

Use with Appendix B. Scientific Notation Bypers arch of the following numbers in adentific notation 56 million - 56 000 000 - 5.6 × 10 7 Scientific Notation 0,000 000 658 - 6,98 x 10-7  $2/10 - 2 \times 0.1 - 2 \times 10^{-1}$ 0.450 13 - 4.50 13 × 10-1  $14\,100\,000 = 1.41 \times 10^{7}$ 0000 16 - 2.6 × 10-4  $5601 - 5.601 \times 10^{3}$ 0.050 - 89 × 10-2  $230 - 23 \times 10^{2}$ 12 thousandth 0 14100 BB f. 0.450 13 h 0000 35

Use with Appendix B, Operations with Scientific Hotation c. exp x 10°7 + (0.33 × 10°7 + (0.3 a.  $(1.2 \times 10^5 + (5.33 \times 10^5) + (5.33 \times 10^5) + (5.35 \times 10^$ 4.  $0.67 \times 10^{3} - (1.6 \times 10^{3})$   $(3.67 \times 10^{3}) - (1.6 \times 10^{3}) - (3.67 \times 10^{3}) - (0.16 \times 10^{3}) - (3.67 - 0.16) \times 10^{2}$   $= 3.51 \times 10^{3}$  $6.48 \times 10^6/(2.4 \times 10^9)(1.8 \times 10^{-3}) = 6.48/(2.4)(1.8) \times 16^{-4-(-2)} = 1.5 \times 10^9$ 4. (1.35 × 10) = (4.9 × 10), (1.35 × 10) = (0.49 × 10) = (1.35 = 0.40) × 10 = 0.84 × 10<sup>4</sup> = 8.4 × 10<sup>4</sup>  $8.1 \times 10^{-2}/9.0 \times 10^{2} = 8.1/9.0 \times 10^{-2} - 2 = 0.90 \times 10^{-4} = 9.0 \times 10^{-5}$ c. (1.5× 10<sup>-3</sup>)× (0.0× 10<sup>-1</sup>) (1.5(8.0) × 10<sup>-2</sup> + (-1 = 12.00 × 10<sup>-2</sup> = 12 × 10<sup>-2</sup>) × (1.5 × 10<sup>-2</sup>) b.  $(x \circ x : 10^3 \times (1.5 \times 10^{-3}) = (6.0)(1.5) \times 10^4 + 1.2 = 9.0 \times 10^4$   $(6.0 \times 10^3 \times (1.5 \times 10^{-3}) = (6.0)(1.5) \times 10^4 + 1.2 = 9.0 \times 10^4$  $\begin{array}{l} \mathbf{b}, (6.91\times10^{-3}) + (2.4\times10^{-3}) \\ (6.91\times10^{-3}) + (2.4\times10^{-3}) = (6.91\times10^{-3}) + (0.24\times10^{-3}) \\ = (6.91\times0.24)\times10^{-2} = 7.15\times10^{-2} \end{array}$  $\begin{array}{l} (8.41\times10^{-5})-(79\times10^{-5})\\ (8.41\times10^{-5})-(7.9\times10^{-5})-(8.41\times10^{-5})-(0.79\times10^{-5})\\ = (8.41-0.79)\times10^{-5}-7.62\times10^{-5} \end{array}$ 2. Perform the following operations and oppose the arrevers in actuality: rotation Performits following operators and opposition asserts in scientific motion.  $a_{-}(4.3\times10^3)\times(2.0\times10^3)$   $(4.3\times10^3)\times(2.0\times10^3)=(4.3)(2.9\times10^{1+4}=8.6\times10^{14}$ MATH HANDBOOK TRANSPARENCY WO  $7.8 \times 10^2 / 1.2 \times 10^4 = 7.8 / 1.2 \times 10^{2} - 4 = 6.5 \times 10^{-1}$   $8.1 \times 10^{-2}$   $9.0 \times 10^{-1}$ Operations with Scientific 648 × 10° (24 × 10°)(18 × 10°5) Notation 4. 728×30° 1.2×10°

12 thousandth =  $12/1000 = 12 \times 0.001 = 12 \times 10^{-3} = 1.2 \times 10^{-2}$ 

Dyress outh of the following measurements in scientific notation.

299 792 458 m/s = 2.997 924 58 × 10# m/s

b. senter of seconds is a day, 16400 s

86 400 s = 8.64 × 10<sup>4</sup> s

a. speed of lighting vacuum, 259 792 455 m/s

Nath Handbook Transparent y Warbsheds

Containty, Nation and Compa

Math Handbook Transpagency Workfleets

Ownskry: Natur and Ownsy

ä

deally of oxygenges at O'C and present of 101 kPs, 0.001 42 gast.

6378 km = 6.378 × 10<sup>3</sup> km

mannides of Early, 6576 km

0.001 42 g/mL = 1.42 × 10-2 g/mL

rates of an agent alone, 0.000,000 000 00% in 0.000 000 000 000 008 m =  $9.8 \times 10^{-11}$  m

#### SCIENTIFIC NOTATION

Number

Scientists very often deal with very small and very large numbers, which can lead to a lat of contaion when counting seros! We have learned to express these numbers as powers of 15.

Scientific notation takes the form of hit x 10" where 1<sub>2</sub> M × 10 and "n" represents the number of decimal places to be moved. Faither nindicates the standard form is larger than zero whereas regardle in would indicate a number smaller than zero.

Example 1: Convet 1,500,000 to scientific notation. We move the decimal point so that there is only one digit to be left, a total of 6 places.

1,500,000 - 1,5 x 10\*

Example It: Convert EXXXIII to scientify natisfor. For this, we move the declaral point I picces to the

0.000005 + 2.5 + 10\*

(Note that when a number state out less from one. the exponent is obeyonegothes)

Convert the tolowing to scientific natiotion

5x10-3

5.05 x 10

3 0000 - 8x10-4

LIMON IXID

. .x. 2.5 x 10<sup>-1</sup>

2.5×10-2

4 cass - 2.5 x 10-3

1 m. 5x101

. .... 5x103

Cower the tolowing to standard ratiofich.

L 1510 . 1,500

1 15100 - D.0015

1 120 Pr - 0.0375

4 234 P - 375

1 2210 . 220,000

. 12.10 .0.335

7. 12x10 - 0.00012

10,000

s. 11.10° - Ot ]

10. 4x10\* × \_\_\_\_